

APPENDIX L:

REFERENCES

REFERENCE LIST

Abu-Zidan FM, Aman S (2001). Underwater explosion lung injury. *Journal of Trauma - Injury, Infection, and Critical Care*, 50(1) p 169.

Abudhaise BA, Alzoubi MA, Rabi AZ, Alwash RM (1996). Lead exposure in indoor firing ranges: environmental impact and health risk to the range users. *International Journal of Occupational Medicine and Environmental Health*, 9(4) pp 323-9.

Agency for Toxic Substances and Disease Registry - ATSDR (2001). Toxicological profile for Asbestos. ATSDR CAS# 1332-21-4 [www.atsdr.cdc.gov]

Agency for Toxic Substances and Disease Registry (ATSDR)(1999). Toxicological Profile for Lead. US Department of Health and Human Services, Public Health Service ATSDR.

Al-Otaibi ST. (2001). Repetitive strain injury. *Saudi Medical Journal* Vol 22(5) pp 398-402

Alberts WM, & do Pico GA. (1996). Reactive airways dysfunction syndrome. *Chest*, Vol 109 pp 1618-26.

Aldwin CM, Levenson MR, & Spiro A 111. (1994). Vulnerability and resilience to combat exposure: can stress have lifelong effects? *Psychology & Aging* Vol 9(1) pp 34-44.

Allen MB, Crisp A, Snook N, Page RL (1992). 'Smoke-bomb' pneumonitis. *Respiratory Medicine*, 86(2) pp 165-6.

Amadio PC, Frymoyer K, Szabo RM, King KJ (2001). Repetitive stress injury/Comment. *Journal of Bone & Joint Surgery* Vol 83(1) pp 136-141.

Anderson BA, Walker RD, Howard MO, Suchinsky RT. (1995). Characteristics of substance abusing veterans attempting suicide: a national study. *Psychological Reports* Vol 77 pp 1231-42.

Anderson D, Blowers SD, Marrs TC and Rice P (1996)[ABSTRACT ONLY]. An in vivo and an in vivo unscheduled DNA synthesis assay with a zinc oxide/hexachloroethane (Zn/HCE) smoke. *Hum Exp Toxicol*, 15(1) pp 38-44.

Anderson PC and Phillips M (1997)[LETTER]. The musculoskeletal sequelae of participation in the Vietnam War. *MJA*, 167(2) p 112.

Anderson PJ, Lau GSN, Taylor WRJ, & Critchley JAJH. (1996). Acute effects of the potent lacrimator o-chlorobenzylidene malononitrile (CS) tear gas. *Human & Experimental Toxicology* Vol 15 pp 461-5.

Andrews G, Holt P, Edmonds C, Lowry C, et al (1986). Does non-clinical decompression stress lead to brain damage in abalone divers? Medical Journal of Australia, 144(8) pp 399-401.

Anon. (1971). Toxicity of CS. Lancet, Vol 2 p 698.

Anonymous (1973). Tests on CS for carcinogenicity. British Medical Journal, 1973 Vol 1 p 129.

Anonymous (1971). Verdict on CS. British Medical Journal, 1971 Vol 3 p 722.

Anonymous (1984) Military retirement. Military Medicine Vol 149(1) pp 44-6

Anonymous (1969). Riot-control agents. British Medical Journal, 1969 Vol 3 p 546.

Anonymous (2002). Smokes, fuels, and incendiary materials. Journal of the Royal Army Medical Corps, 148(4) pp 395-397.

Anonymous. Tear gas in high doses is lethal. New Scientist, 5th Feb 1976:p267.

Anonymous. (1998). Allergic & Immune Mechanisms. Taken from Environmental & Occupational Medicine 3rd Edition Eds Rom WN, Lippincott-Raven. This book is held RMA Library Cat No B21.

Archambault JM, Preston Wiley J, & Bray RC. (1995). Exercise loading of tendons and the development of overuse injuries. A review of current literature. Sports Medicine, Vol 20(2) pp 77-89

Argyros GJ (1997). Management of primary blast injury. Toxicology, 121(1) pp 105-15.

Arieli R, Ertracht O (1999) Latency to CNS oxygen toxicity in rats as a function of PCO₂ and PO₂. European J Applied Physiology Vol 80 pp 598-603

Arness MK (1997). Scuba decompression illness and diving fatalities in an overseas military community. Aviation Space & Environmental Medicine, 68(4) pp 325-33.

ATSDR (Agency for Toxic Substances and Disease Registry)(1997). Toxicological profile for Hexachloroethane. U.S. Department of Health and Human Services.

ATSDR (Agency for Toxic Substances and Disease Registry). May 1994. Public Health Statement for Zinc. www.atsdr.cdc.gov/toxprofiles/phs60.html

ATSDR (Agency for Toxic Substances and Disease Registry). Sep 1997. Toxicological profile for white phosphorous. www.atsdr.cdc.gov/toxprofiles/tp103.html

Ballantyne B (1985). Acute toxicity and primary irritancy of 2-amino-3,5-dicyano-4-o-chlorophenyl-6-ethoxypyridine. Drug & Chemical Toxicology, 8(3) pp 171-82.

- Ballantyne B, Swanston DW (1973). The irritant potential of dilute solutions of ortho-chlorobenzylidene malononitrile (CS) on the eye and tongue. *Acta Pharmacologica and Toxicologica*, 32(3) pp 266-77.
- Ballantyne B, Gazzard MF, Swanson DW, Williams P (1974). The ophthalmic toxicology of o-chlorobenzylidene malononitrile (CS). *Arch Toxicol*, Vol 32 pp 149-68.
- Ballantyne B & Swanston DW. (1978). The comparative acute mammalian toxicity of 1 - chloroacetophenone (CN) and 2 - chlorobenzylidene malononitrile (CS). *Arch Toxicol*, Vol 40 pp 75-95.
- Ballantyne B (1979). Evaluation of ophthalmic hazards from an aerosol generator of 2-chlorobenzylidene malononitrile (CS). *Military Medicine*, 144(10) pp 691-4.
- Ballantyne B, Johnston WG (1974). O-chlorobenzylidene malononitrile (CS) and the healing of cutaneous injuries. *Medicine, Science and the Law*, 14(2) pp 93-7.
- Ballantyne B, Beswick FW (1972). On the possible relationship between diarrhoea and o-chlorobenzylidene malononitrile (CS). *Medicine, Science and the Law*, 12(2) pp 121-8.
- Ballantyne B. (1977). Riot control agents. Biomedical and health aspects of the use of chemicals in civil disturbances. *Medical Annual*. Bristol, UK:Wright & Sons, pp 7-41.
- Ballantyne B, Callaway S. Inhalation toxicology and pathology of animals exposed to o-chlorobenzylidene malononitrile (CS) *Med Sci Law* 1972; 12:43-65.
- Ballantyne B. Acute inhalation toxicity of red phosphorus smoke. *Toxic Substance Mechanisms*, Vol 17(4) 1998 pp 251-266.
- Ballantyne B, Gall D, Robson D. Effects on man of drenching with dilute solutions of o-chlorobenzylidene malononitrile (CS) and dibenz(b.f)-1:4-oxazepine (CR). *Med Sci Law* 1976; 16:159-170.
- Ballweg JA, Li L. (1989). Comparison of health habits of military personnel with civilian populations. *Public Health Reports*, Vol 104(5) pp 498- 509.
- Balson PM, Howard NS, Manning T and Mathison J (1986). The psychophysiological study of stress in military populations. *Military Medicine*, Vol 151 pp 144-153.
- Bandyopadhyay R, Heller A, Knox-DuBois C, McCaskill C, Berend SA, Page SL, Shaffer LG (2002). Parental origin and timing of de novo Robertsonian Translocation formation. *Am J.Hum Genet*, Vol 71 pp 1456-1462.
- Baria K, Warren C, Roberts SA, West CM & Scott D. (2001). Chromosomal radiosensitivity as a marker of predisposition to common cancers? *British Journal of Cancer*, Vol 84(7) pp 892-6.

Barlow N (2000)[LETTER]. Precautions should be taken before anaesthetising anybody, who has been exposed to CS gas to prevent complications such as this making intubation impossible. *Resuscitation*, 47(1) pp 91-2.

Barry DH, Chasseaud LF, Hunter B, Robinson WE (1972). The suppression of non-specific esterase activity in mouse skin sebaceous gland by CS gas. *Nature*, Vol 240 pp 560-1.

Bartone PT, Ursano RJ, Wright KM, & Ingraham LH. (1989). The impact of a military air disaster on the health of assistance workers. A prospective study. *The Journal of Nervous and Mental Disease* Vol 177(6) pp 317-28.

Bason R, Yacavone D, Bellenkes AH (1991). Decompression sickness: USN operational experience 1969-1989. *Aviation Space & Environmental Medicine*, 62(10) pp 994-6.

Bast-Pettersen R (1999). Longterm neuropsychological effects in non-saturation construction divers. *Aviation Space & Environmental Medicine*, Vol 70 pp 51-7.

Bauchginger M & Schmid E. (1992). Clastogenicity of 2-chlorobenzylidene malonitrile (CS) in V79 Chinese hamster cells. *Mutation Research* Vol 282 pp 231-4.

Bayeaux-Dunglas MC, Deparis P, Touati MA, Ameille J (1999). [Occupational asthma in a teacher after repeated exposure to tear gas]. [French lang.]. *Revue des Maladies Respiratoires*, 16(4) pp 558-9.

Becker GD, Parell GJ (2001). Barotrauma of the ears and sinuses after scuba diving. *European Archives of Otorhinolaryngology*, 258(4) pp 159-63.

Begic D, Jokic-Begic N. (2001). Aggressive behavior in combat veterans with post-traumatic stress disorder. *Military Medicine* Vol 166(8) pp 671-181.

Bell NS, Amoroso PJ, Wegman DH, Senior L. (2001). Proposed explanations for excess injury among veterans of the Persian Gulf War and a call for greater attention from policymakers and researchers. *Injury Prevention* Vol 7 pp 4-9.

Benbenishty R (1991). Combat stress reaction and changes in military medical profile. *Military Medicine*, Vol 156 pp 68-70.

Benton PJ, Francis TJR, Pethybridge RJ (1999). Spirometric indices and the risk of pulmonary barotrauma in submarine escape training. *Undersea & Hyperbaric Medicine*, 26(4) pp 213-7.

Benzanthrone. Obtained from <http://toxnet.nlm.nih.gov/cgi-bin/sis/search/f?./temp/~AAAqjaqYs:1:FULL>

Berkey BR (1972) Military retirement syndrome: the civilian side. *Military Medicine* Vol 137(7) pp 278-81.

Bernstein DI. (1997). Chapter 12- Allergic reactions to workplace allergens. JAMA Vol 278 pp 1907-1913.

Berthelsen JG. Testicular cancer and fertility. International Journal of Andrology ; 1987, 10:371-380.

Beswick FW, Holland P, & Kemp KH. (1972). Acute effects of exposure to orthochlorobenzylidene malononitrile (CS) and the development of tolerance. British Journal of Industrial Medicine, Vol 29 pp 298-306.

Beswick FW. (1983). Chemical agents used in riot control and warfare. Human Toxicol Vol 2 pp 247-256.

Bhattacharya ST & Hayward AW. (1993). CS gas- implications for the anaesthetist. Anaesthesia, Vol 48 pp 896-7.

Billmire DF, Vinocur C, Ginda M et al. (1996). Pepper-spray-induced respiratory failure treated with extracorporeal membrane oxygenation. Pediatrics Vol. 98 pp. 961-963.

Bird YN, Waller AE, Marshall SW, Alsop JC, Chalmers DJ, Gerrad DF (1998) The New Zealand rugby injury and performance project: V. Epidemiology of a season of rugby injury. Br J Sports Med Vol 32 pp 319-325.

Biscoe TJ & Shephard RJ. Some responses to the intravascular injection of o-chlorobenzal malononitrile in cats and dogs. Archives Internationales De Pharmacodynamie ETDE Therapie (1962) Vol 138: 389-99.

Blabo K, Stark MM; Gray PJ; Jones GRN (2000)[LETTERS]. Is CS spray dangerous? British Medical Journal, 321(7252) pp 46-7.

Blount BC, Mack MM, Wehr CM, MacGregor JT, et al (1997). Folate deficiency causes uracil misincorporation into human DNA and chromosome breakage: Implications for cancer and neuronal damage. Proceedings of the National Academy of Sciences of the USA, Vol 94 pp 3290-5.

Blount W, Curry A, Lubin GI. (1992) Family separations in the military. Military Medicine, Vol 157 pp 76-80.

Bogduk Nikolai Prof. Clinical Anatomy of the Lumbar Spine & Sacrum (3rd edition; Churchill Livingstone, New York 1997). Only summary part.

Bonassi S, Abbondandolo A, Camurri L, Dal Pra L, et al (1995). Are chromosome aberrations in circulating lymphocytes predictive of future cancer onset in humans? Cancer Genetics & Cytogenetics, Vol 79 pp 133-5.

Bonassi S, Hagmar L, Stromberg U, Montagud AH, Tinnerberg H, Forni A, Heikkila P, Wanders S, Wilhardt P, Hansteen IL, Knudsen LE, Norppa H, for the European Study Group on Cytogenetic Biomarkers and Health (2000). Chromosomal

aberrations in lymphocytes predict human cancer independently of exposure to carcinogens. *Cancer Research*, Vol 60 pp 1619-1625.

Bonassi S, Neri M, Puntoni R (2001). Validation of biomarkers as early predictors of disease. *Mutation Research*, Vol 480-481 pp 349-58.

Bourne PG, Coli WM, Datel WE (1968). Affect levels of ten special forces soldiers under threat of attack. *Psychological Reports*, 22(2) pp 363-6.

Bourne PG, Gaines S (1967). An outbreak of typhoid fever in a Special Forces "A" camp. *Military Medicine*, 132(12) pp 987-92.

Bourne PG, Rose RM, Mason JW (1968). 17-OHCS levels in combat. Special forces "A" team under threat of attack. *Archives of General Psychiatry*, 19(2) pp 135-40.

Bray RM, Marsden ME, & Peterson MR. (1991). Standardized comparisons of the use of alcohol, drugs, and cigarettes among military personnel and civilians. *Am J Public Health*, Vol 81 pp 865-9.

Breakell A, Bodiwala GG. (1998). CS gas exposure in a crowded night club: the consequences for an accident and emergency department. *J Accid Emerg Med*, Vol 15 pp 56-57

Breger E (1984). Military family separation: togetherness apart. *Journal of the Medical Association of Georgia*, 73(7) pp 473-476.

Breslin P, Kang HK, Lee Y, Burt V and Shepard BM (1988). Proportionate mortality study of US army and US marine corps veterans of the Vietnam war. *Journal of Occupational Medicine* 30(5) pp 412-419.

Brewster K, Harrison JM, Leadbeater L, Newman J & Upshall DG. (1987). The fate of 2-chlorobenzylidene malononitrile (CS) in rats. *Xenobiotica*, Vol 17(8) pp 911-24.

Brimblecombe RW, Green DM, Muir AW (1972). Pharmacology of o-chlorobenzylidene malononitrile (CS). *British Journal of Pharmacology*, Vol 44 pp 561-76.

Bryant RA. (1998). An analysis of calls to a Vietnam Veterans' telephone counselling service. *Journal of Traumatic Stress* Vol 11(3) pp 589-96.

Buchholz TA & Wu X. (2001). Radiation-induced chromatid breaks as a predictor of breast cancer risk. *Int J Radiat* Vol 49 pp 533-53.

Burch HB, Bernet VJ, Plotkin FR, McCord CF, et al (2002)[LETTER]. Graves disease in a US Army special forces group. *JAMA*, 288(23) pp 2975-6.

Burrill W, Barber JB, Roberts SA, Bulman B, & Scott D. (2000) Heritability of chromosomal radiosensitivity in breast cancer patients: a pilot study with the lymphocyte micronucleus assay. *Int J Radiat Biol* Vol 76 pp 1617-9.

Burton FG, Clark ML, Miller RA and Schirmer RE (1982). Generation and characterization of red phosphorus smoke aerosols for inhalation exposure of laboratory animals. *American Industrial Hygiene Association Journal*, 43(10) pp 767-772.

Butler FK Jr, Thalmann ED. (1986) Central nervous system oxygen toxicity in closed circuit scuba divers 11. *Undersea Biomed Res Vol 13(2)* pp 193-223.

Butler FK Jr, White E, Twa M (1999) Hyperoxic myopia in a closed-circuit mixed-gas scuba diver. *Undersea Hyperb Med Vol 26(1)* pp 41-5

Butler FK, Gurney N (2001). Orbital hemorrhage following face-mask barotrauma. *Undersea & Hyperbaric Medicine*, 28(1) pp 31-4.

Calder I (1992). Does diving damage your brain? *Occupational Medicine (Oxford)*, 42(4) pp 213-4.

Calkins MD, Fitzgerald G, Bentley TB, Burris D (2000). Intraosseous infusion devices: a comparison for potential use in special operations. *Journal of Trauma - Injury, Infection and Critical Care*, 48(6) pp 1068-74.

Calkins MD, Kuzma PJ, Larkin TM, Green DL (2001). Pain management in the special operations environment: regional anesthetics. *Military Medicine*, 166(3) pp 211-6.

Cassel G (1993)[ABSTRACT ONLY]. Zinc- and Titanium Smoke: Chemical composition and physical characteristics. *Govt Reports Announcements & Index (GRA&I)*, Issue 05.

Cassel G, Fredriksson SA, Faengmark I. Zink-och Titanroek: Kemisk Sammansaetning och Fysikliska Egenskaper (Zinc-and titanium smoke: chemical composition and physical characteristics). *Govt Reports Announcements & Index (GRA&I)*, Issue 05, 1993 (ABST).

Cataldo DA, Van Voris P, Ligothke MW, McVeety BD and Bolton H (1990)[ABSTRACT ONLY]. Evaluate and characterize mechanisms controlling transport, fate, and effects of Army smoke in the aerosol wind tunnel. *Govt Reports Announcements & Index (GRA&I)*, Issue 18.

Cernak I, Savic J, Ignatovic D, Jevtic M (1999). Blast injury from explosive munitions. *Journal of Trauma - Injury, Infection, and Critical Care*, 47(1) pp 96-103.

Chan-Yeung M and Malo J-L (1994). Aetiological agents in occupational asthma. *Eur. Respir J. Vol 7* pp 346-371.

Chandler DW, Edmond CV (1997). Effects of blast overpressure on the ear: case reports. *Journal of American Academy of Audiology*, 8(2) pp 81-8.

Chapman AJ, White C (1978). Death resulting from lachrymatory agents. *J Forensic Sci Vol 23* pp 527-30.

Chasseaud LF, Hunter B, Robinson WE, Barry DH (1975). Suppression of sebaceous gland non-specific esterase activity by electrophilic (alpha) (beta)-unsaturated compounds. *Experientia*, Vol 31 pp 1196-7.

Chatterton RT Jr, & Dooley SL. (1999). Reversal of diurnal cortisol rhythm and suppression of plasma testosterone in obstetric residents on call. *Journal of the Society for Gynecologic Investigation*, Vol 691) pp 50-4.

Chemical sampling information: Phosphoric acid. Obtained from http://www.osha.gov/dts/chemicalsampling/data/CH_262500.html

Chemtob CM, Bauer GB, Neller G, Hamada R, et al (1990). Post-traumatic stress disorder among Special Forces Vietnam veterans. *Military Medicine*, 155(1) pp 16-20.

Cheshire WH, Ott MC (2001). Headache in divers. *Headache*, 41(3) pp 325-47.

Chou TD, Lee TW, Chen SL, Tung YM, et al (2001). The management of white phosphorus burns. *Burns*, 27(50) pp 492-7.

Chung CW & Giles AL. (1972). Sensitization of guinea pigs to alpha-chlorocetaphenone (CN) and ortho-chlorobenzylidenemalononitrile (CS), tear gas chemicals. *The Journal of Immunology*, Vol 109 pp 284-293.

Clarke D, Gerard W, Norris T (2002). Pulmonary barotrauma-induced cerebral arterial gas embolism with spontaneous recovery: commentary on the rationale for therapeutic compression. *Aviation, Space, & Environmental Medicine*, 73(2) pp 139-46.

Clenney TL, Lassen LF (1996). Recreational scuba diving injuries. *American Family Physician*, 53(5) pp 1761-66.

Clode SA, Riley RA, Blowers SD, Marrs TC and Anderson D (1991)[ABSTRACT ONLY]. Studies on the mutagenicity of a Zinc Oxide-Hexachloroethane Smoke. *Human and Experimental Toxicology*, 10(1) pp 49-57.

Coakley SD, Peters L. (2001). Pyrotechnics health risk assessment NO. 39-EJ-1485-00 residential exposure from inhalation of air emissions from the M8 violet-colored smoke grenade. *Govt Reports Announcements & Index (GRA&I)*, Issue 21 (Abst only).

Cole TJ, et al (1975). Comparison of effects of ammonia and CS aerosol upon exercise ventilation and cardiac frequency in healthy men. *Journal of Physiology*, Vol 252 pp 28P-29P.

Committees on Toxicity, Mutagenicity and Carcinogenicity of Chemicals in Food, Consumer Products, and the Environment (1999). Statement on 2-chlorobenzylidene malononitrile (CS) and CS spray. London: Department of Health, 1999. www.doh.gov.uk/pub/docs/doh

Constable SH, Sherry CJ and Walters TJ (1991). An applied model for the evaluation of multiple physiological stressors. *Neuroscience & Biobehavioral Reviews*, Vol 15 pp 115-121.

Cornell University - Material Safety Data Sheet (2002). Safety information on the internet - tear gas.

Cotes JE, Dabbs JM, Evans MR & Holland P. (1972). Effect of CS aerosol upon lung gas transfer and alveolar volume in healthy men. *Quarterly Journal of Experimental Physiology*, Vol 57 pp 199-206.

Coulthard A, Pooley J, Reed J, Walder D (1996)[LETTER]. Pathophysiology of dysbaric osteonecrosis: a magnetic resonance imaging study. *Undersea & Hyperbaric Medicine*, 23(2) pp 119-20.

Covey DC (2002). Blast and fragment injuries of the musculoskeletal system. *Journal of Bone & Joint Surgery - American Volume*, 84-A(7) pp 1221-34.

Craig R, Gillis CR, Hole DJ and Paddle GM (1985). Sixteen year follow up of workers in an explosives factory. *J Soc Occup Med*, Vol 35 pp 107-110.

Cramer FS, Heimbach RD (1982). Stomach rupture as a result of gastrointestinal barotrauma in a SCUBA diver. *Journal of Trauma - Injury, Infection, and Critical Care*, 22(3) pp 238-40.

Cripps NP, Glover MA, Guy RJ (1999). The pathophysiology of primary blast injury and its implications for treatment. Part II: the auditory structures and abdomen. *Journal of the Royal Naval Medical Service*, 85(1) pp 13-24.

Crompton JL (2003) Ocular and adnexal injuries in the Bali bombing, 12 October 2002. *ADF Health* Vol 4 pp 56-8.

Cronan TA, Conway TL. (1988). Is the navy attracting or creating smokers? *Military Medicine*, Vol 153 pp 175-8.

Crosson D, & Youngblood D (1996) Current status of closed circuit underwater breathing apparatus. *Life Support & Biosphere Science* Vol 2 pp 111-5.

Crowdy JP. Smoking in the army. *J R Army Med Corps* 1981;1:14-15.

Cucinell SA, Swentzel KC, Biskup R, Snodgrass H, Lovre S, Stark W, Feinsilver L, Vocci F. Biochemical interactions and metabolic fate of riot control agents. *Fed Proc* 1971; 30:86-91.

Cullumbine H (1957). The toxicity of screening smokes. *Journal of Royal Army Medical Corps*, Vol 103 pp 109-22.

- Cuneo A, Fagioli F, Pazzi I, Tallarico A, et al (1992). Morphologic, immunologic and cytogenetic studies in acute myeloid leukemia following occupational exposure to pesticides and organic solvents. *Leukemia Research*, 16(8) pp 789-96.
- Curley MD (1988). US Navy saturation diving and diver neuropsychologic status. *Undersea Biomedical Research*, 15(1) pp 39-50.
- Curtis CF (1994). Should DDT continue to be recommended for malaria vector control? *Medical and Veterinary Entomology*, Vol 8 pp 107-112.
- Dacre JC (1994). Hazard evaluation of army compounds in the environment. *Drug Metabolism Reviews* Vol 26(4) pp 649-662.
- Danto BL. (1987). Medical problems and criteria regarding the use of tear gas by police. *The American Journal of Forensic Medicine & Pathology*, Vol 8(4) pp 317-322.
- Davidson JK (1989). Dysbaric disorders: aseptic bone necrosis in tunnel workers and divers. *Bailliere's Clinical Rheumatology*, 3(1) pp 1-23.
- Davis KG (2002). Acute management of white phosphorus burn. *Military Medicine*, 167(1) pp 83-4.
- Delamanche S, Desforges P, Morio S, Fuche C, Calvet J-H (2001). Effect of oleoresin capsicum (OC) and ortho-chlorobenzylidene malononitrile (CS) on ciliary beat frequency. *Toxicology*, 165(2-3) pp 79-85.
- Demeter SL, Cordasco EM (1990). Reactive airways dysfunction syndrome: a subset of occupational asthma. *J Disability*, Vol 1 pp 23-39.
- Department of Defence. ADF Health Status Review, 2002. Draft Copies of Chapters 2, 4, 7,8 & 9.
- Desilvilya HS, Gal R. (1996). Coping with stress in families of servicemen: searching for "win-win" solutions to a conflict between the family and the military organization. *Family Process*, Vol 35 pp 211-225.
- Donald KW (1991). A review of submarine escape trials from 1945 to 1970 with a particular emphasis on decompression sickness. *Journal of the Royal Naval Medical Service*, 77(3) pp 171-200.
- DuPont DG (2003). Storm before the calm. Can knockout gases really be nonlethal? *Scientific American*, 288(2) pp17-8.
- Durant JL, Busby WF, Lafleur AL, Penman BW, Crespi CL. (1996). Human cell mutagenicity of oxygenated, nitrated and unsubstituted polycyclic aromatic hydrocarbons associated with urban aerosols. *Mutat Res* Vol 371(3-4) pp 123-57.

Durant JL, Busby WF Jr, Lafleur AL, Penman BW, Crespi CL (1996). Human cell mutagenicity of oxygenated, nitrated and unsubstituted polycyclic aromatic hydrocarbons associated with urban aerosols. (Abst Only).

Durodie B, Wessely S. (2002). Resilience or panic? The public and terrorist attack. *The Lancet* Vol 360 pp 1901-2.

Dvorak J, Junge A (2000). Football injuries and physical symptoms: A review of the literature. *The American Journal of Sports Medicine*, 28(5) pp S3-S9.

Ebarre S, Karinthe L, Delamanche S, Fuche C, et al (1999). Comparative acute toxicity of o-chlorobenzylidene malononitrile (CS) and oleoresin capsicum (OC) in awake rats. *Human and Experimental Toxicology*, 18(12) pp 724-30.

Eid J, Johnsen BH. (2002). Acute stress reactions after submarine accidents. *Mil Med* Vol 167(5) pp427-31.

Eid J. (2002). Acute stress reactions after submarine accidents. *Military Medicine* Vol 167(5) pp 427-431.

Elder GH Jr, Clipp EC. (1989) Combat experience and emotional health: impairment and resilience in later life. *J Pers* Vol 57(2) pp 311-41.

Elliott DH (1989). Long-term sequelae of diving. *Journal of the Royal Society of Medicine*, 82(2) pp 79-80.

Ellis JP, Hartman BO, Bollinger RR and Garcia JB (1976). Flight-induced changes in human amino acid excretion. *Aviation Space and Environmental Medicine*, 47(1) pp 1-8.

Elsayed NM (1997). Toxicology of blast overpressure. *Toxicology*, 121(1) pp 1-15.

Enya T, Kawanishi M, Suzuki H, Matdui S, Hisamatsu Y (1998). An unusual DNA adduct derived from the powerfully mutagenic environmental contaminant 3-nitrobenzanthrone. *Chemical Research in Toxicology*, Vol 11 pp 1460-7.

Evans EH (1945). Casualties following exposure to zinc chloride smoke. *Lancet*, 1945 Vol 2 pp 368-70.

Fagioli F, Cuneo A, Piva N, Carli MG, et al (1992). Distinct cytogenetic and clinicopathologic features in acute myeloid leukemia after occupational exposure to pesticides and organic solvents. *Cancer*, vol 70 pp 77-85.

Feigelman W (1994). Cigarette smoking among former military service personnel: a neglected social issue. *Preventive Medicine*, Vol 23 pp 235-241.

Fernandez-Pol B. (1988). Does the military family syndrome exist? *Military Medicine*, Vol 153 pp 418-20.

Ferslew KE, Orcutt RH, Hagarhorn AN (1986). Spectral differentiation and gas chromatographic/mass spectrometric analysis of the lacrimators 2-chloroacetophenone and o-chlorobenzylidene malononitrile. *Journal of Forensic Sciences*, 31(2) pp 658-65.

Feuerstein M, Berkowitz SM and Peck CA (1997). Musculoskeletal-related disability in US Army personnel: prevalence, gender, and military occupational specialties. *JOEM*, 39(1) pp 68-78.

Finch C, Donohue S, Garnham A (2002). Safety attitudes and beliefs of junior Australian football players. *Injury Prevention*, Vol 8 pp 151-4.

Fisher AA. (1970). Dermatitis due to tear gases (lacrimators). *International Journal of Dermatology*, Vol 9 pp 91-5.

Florkowski A, Gruscynski W, Wawryzniak Z. (2001). Evaluation of psychopathological factors and origins of suicides committed by soldiers, 1989 to 1998. *Military Medicine* Vol 166 pp 44-6.

Fontana A and Rosenheck R (1995). Attempted suicide among Vietnam veterans: a model of etiology in a community sample. *The American Journal of Psychiatry*, 152(1) pp 102-109.

Fontana A, & Rosenheck R. (1995). An etiological model of attempted suicide among Vietnam theater veterans. Prospective generalization to a treatment-seeking sample. *J nerv Ment Dis* Vol 183 pp 377-383

Ford J, Behrens D, McCarthy C, Mills K, Thomas P, Wilkin H (1998). Sporadic chromosome abnormalities in human lymphocytes and previous exposure to chemicals 1998 *Cytobios* 96:179-192.

Ford JD (1999). Disorders of extreme stress following war-zone military trauma: associated features of posttraumatic stress disorder or comorbid but distinct syndromes? *Journal of Consulting and Clinical Psychology*, 67(1) pp 3-12.

Forni AM, Cappallini A, Pacifico E, Vigliani C (1971) Chromosome changes and their evolution in subjects with past exposure to benzene. *Archives Environmental Health* Vol 23 pp 385-391.

Foster RW, Weston KM (1986). Chemical irritant algnesia assessed using the human blister base. *Pain*, 25(2) pp 269-78.

Francalanci S, Angelini G, Balato N, Berardesca E, Cusano F, Gaddoni G, Lisi P, Lodi A, Schena D and Sertoli A (1995). Effectiveness of disperse dyes mix in detection of contact allergy to textile dyes: an Italian multicentre study. *Contact Dermatitis*, 33(5) p 351.

Frankenberg L, Sorbo B (1973). Formation of cyanide from o-chlorobenzylidene malononitrile and its toxicological significance. *Archiv fur Toxicologie*, 31(2) pp 99-108.

Fraunfelder FT. (2000). Is CS gas dangerous?: Current evidence suggests not but unanswered questions remain. *BMJ* Vol. 320 pp. 458-459.

Freeman TW, Roca V and Kimbrell T (2003). A survey of gun collection and use among three groups of veteran patients admitted to Veterans Affairs Hospital treatment programs. *Southern Medical Journal*, 96(3) pp 240-243.

Freitag A and Caduff B (1996)[ABSTRACT ONLY]. ARDS due to military hexite smoke exposure. *Schweizerische Wochenschrift*, 126(23).

Friborg O, Hjemdal O, Rosenvinge JH, Martinussen M. (2003). A new rating scale for adult resilience: what are the central protective resources behind healthy adjustment? *Int J Methods Psychiatr Res* Vol 12(2) pp 65-76.

Fried P, Steinfeld R, Casileth B & Steinfeld A. Incidence of developmental handicaps among the offspring of men treated for testicular seminoma. *International Journal of Andrology* 1987 10:385-7.

Fryzek JP, Garabrant DH, Harlow SD, Severson RK, Gillespie BW, Schenk M, & Schottenfeld D. (1997). A case-control study of self-reported exposures to pesticides and pancreas cancer in SouthEastern Michigan. *International Journal of Cancer*, Vol 62-7.

Fuenfer MM (1991). The United States Army Special Forces - Walter Reed Army Institute of Research field epidemiological survey team (Airborne), 1965-1968. *Military Medicine*, 156(2) pp 96-9.

Gabel S. (1992). Behavioral problems in sons of incarcerated or otherwise absent fathers: the issue of separation. *Family Process*, Vol 31 pp 303-14.

Garabrant DH, Held J, Langholz B, Peters JM and Mack TM (1992). DDT and related compounds and risk of pancreatic cancer. *Journal of the National Cancer Institute*, Vol 84 pp 764-771.

Garry VF, Danzl TJ, Tarone R, Griffith J, et al (1992). Chromosome rearrangements in fumigant applicators: possible relationship to non-Hodgkin's lymphoma risk. *Cancer Epidemiology, Biomarkers & Prevention*, Vol 1 pp 287-91.

Garry VF, Tarone RE, Long L, Griffith J, et al (1996). Pesticide applicators with mixed pesticide exposure: G-banded analysis and possible relationship to non-Hodgkin's lymphoma. *Cancer Epidemiology, Biomarkers & Prevention*, Vol 5 pp 11-6.

Gaskins JR, Hehir RM, McCaulley DF.(1972). Lacrimating agents (CS and CN) in rats and rabbits. *Arch Environ Health* Vol 24 pp 449-54.

Giusti F, Mantovani L, Martella A and Seidenari S (2002). Hand dermatitis as an unsuspected presentation of textile dye contact sensitivity. *Contact Dermatitis*, 47(2) pp 91-95.

Gollharsen R, Holzmann H, Ring J. Contact dermatitis through tear gas. *Munch Med Wochenschr* 1988; 130:680-3.

Grawe J, Nusse M, Adler ID. Quantitative and qualitative studies of micronucleus induction in mouse erythrocytes using flow cytometry. 1. Measurement of micronucleus induction in peripheral blood polychromatic erythrocytes by chemicals with known and suspected genotoxicity. *Mutagenesis* 1997; 12:1-8.

Gray GC, Witucki PJ, Gould MT, Bell SJ, et al (2001). Randomized, placebo-controlled clinical trial of oral azithromycin prophylaxis against respiratory infections in a high-risk, young adult population. *Clinical Infectious Diseases*, 33(7) pp 983-9.

Gray PJ. (1997). Letter: Martin Leyland's highlighting concern over the use of CS aerosols by the police. *Eye Vol* 11 pp 949-50.

Gray PJ. (1997). CS gas is not a chemical means of restraining a person. *BMJ Vol* 314 p 1353.

Gray PJ; Wheeler H (1995)[LETTERS]. Treating CS gas injuries to the eye. *BMJ*, Vol 311.

Greenfield RA, Brown BR, Hutchins JB, Iandolo JJ, Jackson R, Slater LN & Bronze MS. (2002). Microbiological, biological, and chemical weapons of warfare and terrorism. *Am J Med Sci* 323:326-340.

Grieco A, Molteni G, De Vito G & Sias N. (1998). Epidemiology of musculoskeletal disorders due to biomechanical overload. *Ergonomics Vol* 41(9) pp 1253-60.

Guin JD (2001). Seat-belt dermatitis from disperse blue dyes. *Contact Dermatitis*, 44(4) p 263.

Guy RJ, Glover MA, Cripps NP(1998). The pathophysiology of primary blast injury and its implications for treatment. Part I: the thorax. *Journal of the Royal Naval Medical Service*, 84(2) pp 79-86.

Haddock CK, Poston WC, Talcott GW, Atkins LJ, Masciotra AR. (1995). Health behaviors of military retirees: incidence of smoking and alcohol use. *Military Medicine*, Vol 160 pp 74-7.

Haddock CK, Poston WC, Talcott GW. (1995) Health behaviors of military retirees: incidence of smoking and alcohol use. *Military Medicine Vol* 160 (2) pp 74-7

Hagmar L, Bonassi S, Stromberg U, Brogger A, et al (1998). Chromosome aberrations in lymphocytes predict human cancer: a report from the European study group on cytogenetic biomarkers and health (ESCH). *Cancer Research*, Vol 58 pp 4117-21.

Hagmar L, Bonassi S, Stromberg U, Mikoczy Z, et al (1998). Cancer predictive value of cytogenetic markers used in occupational health surveillance programs: a report

from an ongoing study by the European Study Group on Cytogenetic Biomarkers and Health.

Hagmar L, Brogger A, Hansteen I-L, Heim S, et al (1994). Cancer risk in humans predicted by increased levels of chromosomal aberrations in lymphocytes: Nordic study group on the health risk of chromosome damage. *Cancer Research*, Vol 54 pp 2919-22.

Hales TR & Bernard BP. (1996). Epidemiology of work-related musculoskeletal disorders. *Orthopedic Clinics of North America*, Vol 27(4) pp679-709.

Harmon JW (1999)[EDITORIAL]. Comment on blast injury from explosive munitions. *Journal of Trauma - Injury, Infection, and Critical Care*, 47(1) pp 103-4.

Hart LE. (1994). Exercise and soft tissue injury. *Bailliere's Clinical Rheumatology*, Vol 8(1) pp 137-148.

Hartman BO, Ellis JP, Garcia JB, Billinger RR (1977). Human amino acid excretion during and following an extended airborne alert. *Aviation and Space Environmental Medicine*, 48(5) pp 395-398.

Hasle H, Olsen JH, Hansen J, Friedrich U, Tommerup N (1998). Occurrence of cancer in a cohort of 183 persons with constitutional chromosome 7 abnormalities. *Cancer Genetics & Cytogenetics*, 105(1) pp 39-42.

Heliövaara M. (1999). Work load and back pain. *Scand J Work Environ Health* Vol 25(5) pp 385-6.

Helmkamp JC (1996). Occupation and suicide among males in the US armed forces. *Ann Epidemiol* Vol 6 pp 83-8.

Helmkamp JC & Kennedy RD. (1996). Causes of death among US military personnel: a 14-year summary, 1980-1993. *Military Medicine* Vol 161(6) pp 311-7.

Hembree SC (1974). Distribution and prevalence of bancroftian filariasis in US Army Special Forces camps in the Republic of Vietnam. *Military Medicine*, 139(4) pp 309-12.

Henry J (1998)[LETTER]. CS "gas" is not a gas. *Journal of Accident and Emergency Medicine*, 15(5) p 365.

Henry MC, Barkley JJ jr, Rowlett CD (1982). Mammalian toxicologic evaluation of hexachloroethane smoke mixture and red phosphorus. (Abst Only).

Heyman RE & Neidig PH. (1999). A comparison of spousal aggression prevalence rates in US army and civilian representative samples. *Journal of Consulting & Clinical Psychology*, Vol 67(2) pp 239-42.

Hiley_Young B, Blake DD, Abueg FR, Rozyngo V, & Gusman FD (1995). Warzone violence in Vietnam: an examination of premilitary, military, and postmilitary factors in PTSD in-patients. *Journal of Traumatic Stress* Vol 8(1) pp 125-41.

Hill A.R., Silverberg N.B., Mayorga D. & Baldwin H.E. (2000). Medical hazards of the tear gas CS: a case of persistent, multisystem, hypersensitivity reaction and review of the literature. *Medicine* Vol. 79 pp. 234-240.

Hjortso E, Bud MI, Thomsen JL, Andersen JB, Wiberg-Jorgensen F, Jensen NK, Jones R, Reid LM & Zapol WM. (1988). ARDS after accidental inhalation of zinc chloride smoke. *Intensive Care Medicine*, Vol 14 pp 17-24.

Hoffmann DH. (1967). Eye burns caused by tear gas. *Brit J Ophthal*, Vol 51 pp 265-8.

Hoge CW, Messer SC, Engel CC, Krauss M, Amoroso P, Ryan MAK, Orman DT. (2003). Priorities for psychiatric research in the US military: an epidemiological approach. *Military Medicine* Vol 168 pp 182-5.

Hoiberg A (1986). Consequences of U.S. Navy diving mishaps: decompression sickness. *Undersea Biomedical Research*, 13(3) pp 383-94.

Holland P & White RG. (1972). The cutaneous reactions produced by o-chlorobenzylidenemalononitrile and w-chloroacetophenone when applied directly to the skin of human subjects. *British Journal of Dermatology*, Vol 86 pp 150-4.

Holmes PS (1999). Pneumomediastinum associated with inhalation of white smoke. *Military Medicine*, 164(10) pp 751-2.

Holmes TH, & Rahe RH. (1967). The social readjustment rating scale. *Journal of Psychosomatic Research*, Vol 11 pp 213-8.

Homma S, Jones R, Qvist J, Zapol WM, Reid L (1992). Pulmonary vascular lesions in the adult respiratory distress syndrome caused by inhalation of zinc chloride smoke: a morphometric study. *Human Pathology*, 23(1) pp 45-50.

Hong CS, Oh SH, Lee HC, Huh KB, Lee SY (1986). Occupational asthma caused by nickel and zinc. *Korean Journal of Internal Medicine*, 1(2) pp 259-62.

Hoogendoorn WE, van Poppel M NM, Bongers PM, Koes BW, Bouter LM. (1999). Physical load during work and leisure time as risk factors for back pain. *Scand J Work Environ Health* Vol 25(5) pp 387-403.

Hourani LL, Warrack G, & Coben PA. (1999). A demographic analysis of suicide among US navy personnel. *Suicide & Life Threatening Behavior* Vol 29(4) pp 365-75.

Hu H, Christiani D. (1992). Reactive airways dysfunction after exposure to tear gas. *Vol 339 p 1535.*

- Hu H, Fine J, Epstein P, Kelsey K, Reynolds P, Walker B. (1989). Tear gas - harassing agent or toxic chemical weapon? JAMA Vol 262(5) pp 660-3.
- Hu H, Toxicodynamics of riot-control agents. In: Somani SM ed. Chemical warfare agents. San Diego: Academic Press pp 271-88, 1992.
- IARC Monograph (1999). Hexachloroethane (Group 2B). IARC Monograph, Vol 73 p 295.
- IARC Monograph (1990). Vat Yellow 4 (Group 3): Summary of Data Reported and Evaluation. IARC Monograph, Vol 48 p 161.
- IARC Monograph (1987). Asbestos. IARC Monograph, Supplement 7 p 106. [www-cie.iarc.fr/htdocs/mongraphs/suppl7/asbestos.html]
- Ireland DCR. (1998). Australian repetition strain injury phenomenon. Clinical Orthopaedics and Related Research Vol 351 pp 63-73.
- Islinger RB, Kuklo TR, McHale KA (2000). A review of orthopedic injuries in three recent U.S. military conflicts. Military Medicine, 165(6) pp 463-5.
- Jarvinen M. (1993). Lower leg overuse injuries in athletes. Knee Surgery, Sports Traumatology, Arthroscopy, Vol 1 pp 126-130.
- Jaskot RH, Costa DL (1994). Toxicity of an anthraquinone violet dye mixture following inhalation exposure, intratracheal instillation, or gavage. Fundamental and Applied Toxicology, 22(1) pp 103-112.
- Jensen PS, Bloedau L, DeGroot J, Ussery T, & Davis H. (1990). Children at risk: 1. Risk factors and child symptomatology. J Am Acad Child Adolesc Psychiatry Vol 29 (1) pp 51-9
- Jensen PS, Bloedau L, & Davis H. (1990). Children at risk. 11. Risk factors and clinic utilization. J Am Acad Child Adolesc Psychiatry Vol 29 (5) pp 804-12.
- Jensen PS, Lewis RL and Xenakis SN (1986). The military family in review: context, risk, and prevention. Journal of the American Academy of Child Psychiatry, 25(2) pp 225-234.
- Jensen PS, Xenakis SN, Wolf P, & Bain MW. (1991). The "military family syndrome" revisited: "by the numbers". J Nerv Ment Dis Vol 179 pp 102-7.
- Johns BE, Thompson RD, Crane KA. (1992). Physiological effects of red phosphorus smoke inhalation on prairie dogs and rock doves. (Abst Only).
- Johnson FA, Stonehill RB (1961). Chemical pneumonitis from inhalation of zinc chloride. Diseases of the Chest, Vol 40 pp 619-24.

Jones BH & Knapik JJ. (1999). Physical training and exercise-related injuries. Surveillance, research and injury prevention in military populations. *Sports Medicine*, Vol 27(2) pp 111-25.

Jones BH, Knapik JJ (1999). Physical training and exercise-related injuries. Surveillance, research and injury prevention in military populations. *Sports Medicine*, 27(2) pp 111-25.

Jones GRN & Israel MS. (1970). Mechanism of toxicity injected CS gas. *Nature*, Vol 228 pp 1315-7.

Jones GRN (1972). CS and its chemical relatives. *Nature*, 235(5336) pp 257-261.

Jones GRN (1991)[LETTER]. CS gas: an antidote and decontaminant. *Military Medicine*, 156(11) pp A6-A7.

Jones GRN (1996)[LETTER]. CS sprays: antidote and decontaminant. *The Lancet*, Vol 347 p 968.

Jones GRN (1997)[LETTER]. Are CS Sprays safe? *The Lancet*, Aug 30, p 605.

Jones GRN (1971)[LETTER]. Verdict on CS. *British Medical Journal*, 1971 Vol 4 p 170.

Jones GRN. (1997). Are CS sprays safe? *Lancet* Vol. 350 pp. 605-6.

Kaczmarek B, Gaszynski W (1977). Ultra structure of the rabbit's lung tissue after administration of the CS preparation. *Acta Medica Polona* 18(4) pp 327-8.

Kanerva L, Tarvainen K, Pinola A, Leino T, et al (1994). A single accident exposure may result in a chemical burn, primary sensitization and allergic contact dermatitis. *Contact Dermatitis*, Vol 31 pp 229-35.

Kang HK & Bullman TA (1996). Mortality among US veterans of the Persian Gulf War. *NEJM* Vol 335(20) pp 1498-504.

Kang JF, Zhang LD, Zhang H (1992)[LETTER]. Delayed occurrence of dysbaric osteonecrosis: 17 cases. *Undersea Biomedical Research*, 19(2) pp 143-5.

Karalliedde L, Wheeler H, Maclehose R, Murray V (2000). Possible immediate and long-term effects following exposure to chemical warfare agents. *Public Health*, Vol 114 pp 238-48.

Karpinski J, Kidawa Z, Kocur E, Zeman K, Rogulski B, Wolkanin P, Pokoca L, Fornalczyk-Wachowska E, Pasnik J, Kaczmarek P. (2001). Research on some parameters of cellular immune response in soldiers undergoing basic training-preliminary report. *Med Sci Monit* Vol 7(3) pp 435-440.

Kausch O and McCormick RA (2002). Suicide prevalence in chemical dependency programs: preliminary data from a national sample, and an examination of risk factors. *Journal of Substance Abuse Treatment*, Vol 22 pp 97-102.

Kawanishi M, Enya T, Suzuki H, Takebe H, et al (2000). Postlabelling analysis of DNA adducts formed in human hepatoma cells treated with 3-nitrobenzanthrone. *Mutation Research*, Vol 470 pp 133-9.

Kehat I. (2003). Long-term hematological effects in special forces trainees. *Military Medicine*, Vol 168(2) pp 116-9.

Kelley ML. (1994). The effects of military-induced separation on family factors and child behavior. *American J Orthopsychiatric* Vol 64(1) pp 103-11.

Kendra JM, Wachtendorf T. (2003). Elements of resilience after the world trade center disaster: reconstituting New York City's emergency operations centre. *Disasters* Vol 27(1) pp 37-53.

Kiel AW (1997)[LETTER]. Ocular exposure to CS gas: the importance of correct early management. *Eye*, Vol 11 pp 759-60.

King County WebSite - USA(2002)[FACT SHEET]. Fact sheet on riot control agents - Pepper Spray and CS; Environmental health hazards - riot control agents. <http://www.metrokc.gov/health/hazard/riotcontrol.htm>

Kirk JC (1998) Proposed minimum requirements for the operational characteristics and testing of closed circuit life support system control electronics. *Life Support Bioph Sci* Vol 5(1) pp 97-105.

Kleinerman RA, Littlefield LG, Tarone RE, Sayer AM, Cookfair DL, Wactawski-Wende J, Inskip PD, Block AW, Ramesh KH & Boice JD Jr. (1994). Chromosome aberrations in lymphocytes from women irradiated for benign and malignant gynecological disease. *Radiation Research* Vol 139 pp 40-6.

Klevens RM, Giovino GA, Peddicord JP. (1995). The association between veteran status and cigarette-smoking behaviors. *Am J Prev Med* Vol 11 pp 245-50.

Knapp TS. (1993). Variables related to the psychological well being of army wives during the stress of an extended military separation. *Military Medicine*, Vol 158 pp 77-80.

Kobasa SC. (1979). Stressful life events, personality, and health: an enquiry into hardiness. *Journal of Personality and Social Psychology* Vol 37(1) pp 1-11.

Kopchinski B, Lein B (2001). U.S. Army noncombat munitions injuries. *Military Medicine*, 166(2) pp 135-8.

Kozuka M, Nakashima T, Fukuta S, Yanagita N (1997). Inner ear disorders due to pressure change. *Clinical Otolaryngology & Allied Sciences*, 22(2) pp 106-10.

- Krishnakumar N, Krishnakumar S, Dalus MR, Balamugesh T (1997). Yellow phosphorous poisoning - smoking stool syndrome. *Journal of the Association of Physicians of India*, 45(11) pp 885-6.
- Kroutil LA, Bray RM and Marsden ME (1994). Cigarette smoking in the U.S. Military: findings from the 1992 worldwide survey. *Preventive Medicine*, Vol 23 pp 521-528.
- Lagrone DM (1978). The military family syndrome. *American Journal of Psychiatry*, Vol 135 pp 1040-1043.
- LaGrone DM. (1982). More on the military family syndrome. *Am J Psychiatry* Vol 139(1) pp 133-4.
- Lahr DD. (1996). Does running exercise cause osteoarthritis? *Maryland Medical Journal*, Vol 45(8) pp 641-4.
- Lambert MT and Fowler DR (1997). Suicide risk factors among veterans: risk management in the changing culture of the Department of Veterans Affairs. *The Journal of Behavioral Health Sciences & research*, 24(3) pp 350-358.
- Lando C, Hagmar L, Bonassi S (1998). Biomarkers of cytogenetic damage in humans and risk of cancer. *The European Group on Cytogenetic Biomarkers and Health (ESCH) Med Lav* Vol 89 pp 124-131.
- Lanphier CM, McCauley GF (1985) Prevalence and consequences of nonmedical use of drugs among Canadian Forces Personnel: 1982 *AM J Drug Alcohol Abuse* Vol 11(3) pp 231-247.
- Leadbeater L. (1973). The absorption of ortho-chlorobenzylidenemalononitrile (CS) by the respiratory tract. *Toxicology & Applied Pharmacology*, Vol 25 pp 101-110.
- Lee BH, Knopp R, Richardson ML. (1984) Treatment of exposure to chemical personal protection agents. (letter) *Ann Emerg Med* Vol 13 pp 487-488.
- Lengauer C, Kinzler KW, Vogelstein B (1998). Genetic instabilities in human cancers. *Nature*, Vol 396 pp 643-9.
- Leopold IH, Lieberman TW (1971). Chemical injuries of the cornea. *Federation Proceedings (Federation of American Societies for Experimental Biology)*, Vol 30 pp 92-5.
- Lester D. (1993). The effect of war on marriage, divorce and birth rates. *Journal of Divorce & Remarriage* Vol 19 (1/2) pp 229-231.
- Lester D. (1993). War and alcohol use. *Psychological Reports* Vol 72 p1282.
- Levine RA, & Stahl CJ. (1968). Eye injury caused by tear-gas weapons. *American Journal of Ophthalmology*, Vol 65 (4) pp 497-508.

Levison V (1986). The effect on fertility, libido and sexual function of post-operative radiotherapy and chemotherapy for cancer of the testicle. *Clinical Radiology* Vol 37 pp 161-4.

Lewthwaite CJ and Graham JT (1992). The smoking habits of young soldiers. *Journal of the Royal Army Medical Corps*, 138(2) pp 67-71.

Li SW, Fredrickson JK, Ligothke MW, Van Voris P, & Rogers JE. (1988). Influence of smoke exposure on soil enzyme activities and nitrification. *Biol Fertil Soils* Vol 6 pp 341-6.

Liou S-H, Lung J-C, Chen Y-H, Yang T, Hsieh L-L, Chen C-J, & Wu T-N. (1999). Increased chromosome-type chromosome aberration frequencies as biomarkers of cancer risk in a blackfoot endemic area. *Cancer Research*, Vol 59 pp 1481-4.

Liou S-H, Lung J-C, Chen Y-H, Yang T, et al (1999). Increased chromosome -type chromosome aberration frequencies as biomarkers of cancer risk in a blackfoot endemic area. *Cancer Research*, Vol 59 pp 1481-4.

Lo R & Brown R (1999) Stress and adaption: preparation for successful and retirement. *Australian & New Zealand Journal of Mental Health Nursing* Vol 8 pp 30-8.

Lower T. (1995) Injury data collection in the rugby codes. *The Australian Journal of Science & Medicine in Sport* Vol 27(2):43-7.

Lumsden RB, Weir CD (1945). Subglottic stenosis after exposure to a high concentration of screening smoke (zinc chloride). *British Medical Journal*, 1945 Vol 1 pp 554-5.

Lynch P. Coronary risk profile of young soldiers with coronary heart disease. *J R Army Med Corps* 1985:131:38-41.

Lyons KM, Rodda JC, Hood JAA (1999). Barodontalgia: a review, and the influence of simulated diving on microleakage and on the retention of full cast crowns. *Military Medicine*, 164(3) pp 221-7.

Macaulay MB and Mant AK (1964)[ABSTRACT ONLY]. Smoke-Bomb poisoning. A fatal case following the inhalation of Zinc Chloride Smoke. *Journal of the Royal Army Medical Corps*, Vol 110 pp 27-32.

Macfarlane GJ, Thomas E and Cherry N (2000). Mortality among UK Gulf War veterans. *The Lancet*, Vol 356 pp 17-21.

MacIntosh H. (1968). Separation problems in military wives. *American Journal of Psychiatry* Vol 125(2) pp 260-5.

Mahon RT, Kerr S, Amundson D, Parrish JS (2001)[LETTER]. Immersion pulmonary edema in special forces combat swimmers. *Chest*, 122(1) pp 383-4.

Maibach HI, Marzulli FN. Allergic sensitization potential of riot control lacrimants: human draize test. *Contact Dermatitis Newsletter* Vol 9 p209, 1971.

Maj Rengstorff RH. The effects of the riot control agent CS on visual acuity. *Military Medicine*, (1969); 134:219-221.

Maj Weigand DA. Cutaneous reaction to the riot control agent CS. *Military Medicine*; Vol 134 pp 437-440.

Malats N, Real FX and Porta M; Garabrant DH, Held J and Homa D (1993)[LETTERS]. DDT and pancreatic cancer. *Journal of the National Cancer Institute*, 85(4) pp 328-329.

Malo J and Cartier A "Occupational Asthma due to Fumes of Galvanized Metal" *Chest* 1987; Vol 92 pp 375-377.

Malone JM. Lebanon- Its effect on smoking and drinking habits among Irish United Nations Troops. *IJMS* 1986;155:229-231.

Mancinelli I, Lazanio S, Comparelli A, Ceciarelli L, Di Marzo S, Pompili M, Girardi P, Tatarelli R. (2003). Suicide in the Italian military environment (1986-1998) *Military Medicine* Vol 168(2) pp 146-152.

Mani L, & Gerr F. (2000). Work-related upper extremity musculoskeletal disorders. *Occupational & Environmental Medicine*, Vol 27(4) pp 845-64.

Maris RW (1997). Social and familial risk factors in suicidal behavior. *The Psychiatric Clinics of North America* Vol 20(3) pp 519-50.

Marrs TC (1984). Histological changes produced by exposure of rabbits and rats to smokes produced from red phosphorus. *Toxicology Letters*, 21(2) pp 141-6.

Marrs TC, Clifford E, Colgrave HF. Late inhalation toxicology and pathology produced by exposure to a single dose of 2-chlorobenzylidene malononitrile (CS) in rats and hamsters. *Med Sci Law*, Vol 23 pp 257-65 (1963).

Marrs TC, Clifford E, Colgrave HF (1983). Late inhalation toxicology and pathology produced by exposure to a single dose of 2-chlorobenzylidene malononitrile (CS) in rats and hamsters. *Medicine, Science and the Law*, 23(4) pp 257-65.

Marrs TC, Colgrave HF, Rice P, Edginton JAG, Morris B. The repeated dose of a smoke containing disperse blue 180, an anthraquinone dye mixture. *Journal of Hazardous materials*, Vol 21 (1) pp 73-88, 31 references, 1989.

Marrs TC, Colgrave HF, Edginton JAG, Rice P, cross NL. The toxicity of a red phosphorus smoke after repeated inhalation. *Journal of Hazardous Materials*, Vol 22 (3) pp 269-34, 1989

Marrs TC, Colgrave HF, Cross NL, Gazzard MF & Brown RFR. (1983). A repeated dose study of the toxicity of inhaled 2-chlorobenzylidene malononitrile (CS) aerosol in three species of laboratory animal. *Arch Toxicol* Vol 52 pp 183-198.

Marrs TC, Colgrave HF, Edgington JAG, Brown RFR, Cross NL (1988). The repeated dose toxicity of a zinc oxide/hexachloroethane smoke. *Archives of Toxicology*, Vol 62 pp 123-132.

Marshall GN, Davis LM, Sherbourne CD. A review of the scientific Literature as it pertains to Gulf War Illnesses, Vol 4: Stress, RAND, 1999. [Www.rand.org/publications/MR1018.4.1/MR1018.4.1.html](http://www.rand.org/publications/MR1018.4.1/MR1018.4.1.html)

Martinez-Lopez LE, Friedl KE. (1993). A longitudinal study of infections and injuries of ranger students. *Military Medicine* Vol 158 (7) pp 433-7

Masse J; Smoak B (1991)[LETTERS]. *Journal of the American College of Nutrition*, 10(6) p 675.

Matarese SJ, Matthews JI (1986). Zinc chloride (smoke bomb) inhalation lung injury. *Chest*, Vol 89 pp 308-9.

Mc Donald DG, Norton JP, Hodgdon JA (1990). Training success in US Navy special forces. *Aviation Space and Environmental Medicine*, 61(6) pp 548-54.

McCarroll JE, Ursano RJ, Liu X, Thayer LE, Newby JH, Norwood AE and Fullerton CS (2000). Deployment and the probability of spousal abuse by U.S. Army Soldiers. *Military Medicine*, Vol 165 pp 41-44.

McClellan R (1969)[LETTER]. Riot-control agents: personal experience. *British Medical Journal*, 1969 Vol 3 pp 652-3.

McDonald EC, Mahon RT (2002)[LETTER]. Re U.S. Marine Corps Amphibious Reconnaissance (Recon) students requiring hospitalization with pulmonary edema after strenuous exercise following exposure to o-chlorobenzylidenemalononitrile (Thomas et al). *Military Medicine*, 167(11) pp iii-iv.

McGregor DB, Brown A, Cattanach P, Edwards I, McBride D, Caspary WJ. Responses of the L5178Y tk positive/tk negative mouse lymphoma cell forward mutation assay. 11. 18 coded chemicals. *Environ Mol Mutagen* 1988; 11:91-118.

McQueen D, Kent G, Murrison A (1994). Self-reported long-term effects of diving and decompression illness in recreational scuba divers. *British Journal of Sports Medicine*, 28(2) pp 101-4.

Meshram GP, Malini RP, & Rao KM. (1992). Mutagenicity evaluation of riot control agent o-chlorobenzylidene malononitrile (CS) in the Ames Salmonella/Microsome Test. *Journal of Applied Toxicology* Vol 12(5) pp 377-384.

- Miller BM & Nusse M. Analysis of micronuclei induced by 2-chlorobenzylidene malonitrile (CS) using fluorescence in situ hybridization with telomeric and centromeric DNA probes, and flow cytometry. *Mutagenesis* Vol 8 pp 35-41, 1993.
- Miller LS, Barbarevech C & Friedman LS. (1994). Less frequent causes of lower gastrointestinal bleeding. *Gastroenterology Clinics of North America* Vol 23(1) pp 21-52.
- Miller M, Hemeway D, Bell NS, Yore MM, & Amoroso PJ. (2000). Cigarette smoking and suicide: a prospective study of 300,000 male active-duty army soldiers. *Am J Epidemiol* Vol 151(11) pp 1060--3.
- Miller RG (1968). Secretion of 17-hydroxycorticosteroids (17-OHCS) in military aviators as an index of response to stress: a review. *Aerospace Medicine*, 39(5) pp 498-501.
- Milliken JA, Waugh D, Kadish ME (1963). Acute interstitial pulmonary fibrosis caused by a smoke bomb. *Can Med Assoc J*, Vol 88 pp 36-39.
- Mines M, Thach A, Mallonee S, Hildebrand L, Shariat S (2000). Ocular injuries sustained by survivors of the Oklahoma City bombing. *Ophthalmology*, 107(5) pp 837-43.
- Mintz J, O'Brien CP, Woody G, Beck AT (1979). Depression in treated narcotic addicts, ex-addicts, nonaddicts and suicide attempters: Validation of a very brief depression scale. *American Journal of Drug Alcohol Abuse*, 6(4) pp 385-396.
- Mintz J, O'Brien CP, Pomerantz B (1979). The impact of Vietnam service on heroin-addicted veterans. *American Journal of Drug & Alcohol Abuse*, 6(1) pp 39-52.
- Mitelman F, Mertens F, Johansson B (1997). A breakpoint map of recurrent chromosomal rearrangements in human neoplasia. *Nature Genetics* Vol 15 pp 417-474.
- Moen P (1996) A life course perspective on retirement, gender, and well-being. *Journal of Occupational Health Psychology* Vol 1(2) pp 131-44
- Moloff AL, Bettencourt B. (1992) The special forces medic: unique training for a unique mission. *Military Medicine*, Vol 157(2) pp 74-6.
- Moore LE, Smith AH, Eng C, Kalman D, et al (2002). Arsenic-related chromosomal alterations in bladder cancer. *Journal of the National Cancer Institute*, 94(22) pp 1688-96.
- Morgan CA 111, Wang S, Mason J, Southwick SM, Fox P, Hazlett G, Charney DS, & Greenfield G. (2000). Hormone profiles in humans experiencing military survival training. *Biological Psychiatry*, Vol 47 pp 891-901.

Morgan CA3rd, Hazlett G, Wang S, Richardson G, et al (2001). Symptoms of dissociation in humans experiencing acute, uncontrollable stress: a prospective investigation. *American Journal of Psychiatry*, 158(8) pp 1239-47.

Morgan CA3rd, Wang S, Southwick SM, Rasmusson A (2000). Plasma neuropeptide-Y concentrations in humans exposed to military survival training. *Biological Psychiatry*, 47(10) pp 902-9.

Morrison J. (1981). Rethinking the military family syndrome. *Am J Psychiatry*, Vol 138(3) pp 354-7.

Mozingo DW, Smith AA, McManus WF, Pruitt BA, Mason AD (1988). Chemical burns. *Journal of Trauma - Injury Infection and Critical Care*, 28(5) pp 642-647.

Mphahlele J, Aspinall S, Steele AD (1993)[LETTER]. The effect of o-chlorobenzylidene malononitrile (tear gas) on the polymerase chain reaction. *South African Medical Journal*, 83(5) p 363.

Muggleton JM, Allen R & Chappell PH. (1999). Hand and arm injuries associated with repetitive manual work in industry: a review of disorders, risk factors and preventive measures. *Ergonomics* Vol 42(5) pp 714-739.

Murrison AW, Glasspool E, Pethybridge RJ, Francis TJR, Sedgwick EM (1994). Neurophysical assessment of divers with medical histories of neurological decompression illness. *Occupational & Environmental Medicine*, 51(11) pp 730-4.

Murrison AW, Lacey EJ, Restler M, Martinique J, Francis TJ (1991). Ten years of diving-related illness in the Royal Navy. *Journal of the Society of Occupational Medicine*, 41(2) pp 89-93.

Muzaffar W, Khan MDawood, Akbar MK, Khan MDaud (2000). Mine blast injuries: ocular and social aspects. *British Journal of Ophthalmology*, 84(6) pp 626-30.

Nagarkatti PS, Nagarkatti M (1981). Effect of o-chlorobenzylidenemalononitrile (CS) on humoral immune response to bacterial lipopolysaccharide in mice. *Bulletin of Environmental Contamination & Toxicology*, 26(4) pp 571-5.

National Occupational Health and Safety Commission. Occupational Noise. National Standard for Occupational Noise [NOHSC:1007(2000)] National Code of Practice for Noise Management and Protection of Hearing at Work [NOHSC:2009(2000)] 2nd Edition July 2000 .

National Occupational Health & Safety Commission. (1994). Control of inorganic lead at work. National Standard for the control of inorganic lead at work (NOHSC:1012 (1994)). National Code of Practice for the Control & Safe use of Inorganic lead at work [NOHSC:2015[1994]]. Australian Government Publishing Services Canberra.

National Research Council. Work-related musculoskeletal disorders. Report, workshop summary, and workshop papers. Steering committee for the workshop on

work-related musculoskeletal injuries: the research base. Committee on human factors. National Academy Press Washington DC 1999.

National Toxicology Program. Toxicology and carcinogenesis studies of CS₂ (94% CS) in rats and mice. US National Toxicology Program Technical Report No 377. (1990).

Navein JF, Dunn RL (2002). The Combat trauma Life Support course: resource-constrained first responder trauma care for Special Forces medics. *Military Medicine*, 167(7) pp 566-72.

Needleman SB, & Romberg RW. (1989). Comparison of drug abuse in different military populations. *Journal of Forensic Sciences*. Vol 34(4) pp 848-57

Newton HB (2001). Neurological complications of scuba diving. *American Family Physician*, 63(11) pp 2211-8.

NIH (2003). Hexachloroethane. National Institutes of Health - Website. CASRN: 67-72-1. [Http://toxnet.nlm.nih.gov](http://toxnet.nlm.nih.gov)

NIOSH - National Institute for Occupational Safety and Health (2003). Hexachloroethane. NIOSH guide to chemical hazards.

NIOSH - National Institute for Occupational Safety and Health (2003). International chemical safety cards - Hexachloroethane.

Nisenbaum R, Barrett DH, Reyes M and Reeves WC (2000). Deployment stressors and a chronic multisymptom illness among Gulf War Veterans. *The Journal of Nervous and Mental Disease*, 188(5) pp 259-266.

Nomiyama K, Nomiyama H, Liu S -J, Tao Y -X, Nomiyama T, Omae K (2002). Lead induced increase of blood pressure in female lead workers. *Occup Environ Med*, Vol 59 pp 734-738.

North Atlantic Treaty Organization-Research and Technology Organization of NATO. The effect of prolonged military activities in man. Physiological and biochemical changes. Possible means of rapid recuperation. 2001. RTO Meeting Proceedings 42.

North CS and Pfefferbaum B (2002). Research on the mental health effects of terrorism. *JAMA*, 288(5) pp 633-636.

Novomesky F (1999). Gastro-esophageal barotrauma in diving: similarities with Mallory-Weiss syndrome. *Soudni Lekarstvi*, 44(2) pp 21-4.

NTP Technical Report on the toxicology and carcinogenesis studies of D & C Yellow No.11 in F344/N rats (Feed Studies). [NCI/NTP carcinogenesis technical report series; national cancer institute/national toxicology program; U.S. Department of Health and Human Services, p. 463 Y97].

Nusse M, Miller BM, Viaggi S, Grawe J (1996). Analysis of the DNA content distribution of micronuclei using flow sorting and fluorescent in situ hybridization with centromeric DNA probe. *Mutagenesis*, 11(4) pp 405-13.

Nusse M, Recknagel S, Beisker W. Micronuclei induced by 2-chlorobenzylidene malonitrile (CS) contain single chromosomes as demonstrated by the combined use of flow cytometry and immunofluorescent staining with anti-kinetochore antibodies. *Mutagenesis* 1992

O'Brien S, Hardy K (1999)[LETTER]. Use of CS spray in hypoglycaemia. *Lancet*, 354(9180) p 779.

O'Toole BI, & Cantor C. (1995). Suicide risk factors among Australian Vietnam era draftees. *Suicide & Life-Threatening Behavior* Vol 25(4) pp 475-88.

Oektedalen O, Opstad PK and de Muckadell OBS (1982). Secretin - a new stress hormone? *Regulatory Peptides*, Vol 4 pp 213-219.

Oksala A & Salminen L. (1975). Eye injuries caused by tear-gas hand weapons. *Acta Ophthalmologica* Vol 53 pp 908-913.

Oktedalen NO, Opstad PK, Serck-Hanssen A, Aase S and Berstad A (1989). Erosive prepyloric changes - a manifestation of stress? *Scand J Gastroenterol*, Vol 24 pp 522-528.

OMEGA Foundation (2000). Crowd Control Technologies. Working Document for the STOA Panel. G. Chambers (Ed). Published by European Parliament Accessed at http://www.europarl.eu.int/stoa/publi/pdf/99-14-01-a_en.pdf.

Oppenheim A, Pizov R, Pikarsky A, Weiss YG, et al (1998). Tension pneumoperitoneum after blast injury: dramatic improvement in ventilatory and hemodynamic parameters after surgical decompression. *Journal of Trauma - Injury, Infection, and Critical Care*, 44(5) pp 915-7.

Opstad PK (1991). Alterations in the morning plasma levels of hormones and the endocrine responses to bicycle exercise during prolonged strain. The significance of energy and sleep deprivation. *Acta Endocrinologica (Copenh)*, Vol 125 pp 14-22.

Opstad PK (1994). Circadian rhythm of hormones is extinguished during prolonged physical stress, sleep and energy deficiency in young men. *European Journal of Endocrinology*, Vol 131 pp 56-66.

OSHA (Occupational Safety & Health Administration, US Dept of Labor. Chemical sampling information Phosphorus (yellow). [Www.osha.gov/pls/oshaweb/owadis.show_document?p_table=CHEMSAMP_S](http://www.osha.gov/pls/oshaweb/owadis.show_document?p_table=CHEMSAMP_S)

OSHA (Occupational Safety & Health Administration, US Dept of Labor. Chemical sampling information Zinc Chloride Fume. [Www.osha.gov/dts/chemicalsampling/data/CH_276800.html](http://www.osha.gov/dts/chemicalsampling/data/CH_276800.html)

OSHA (2003). Chemical sampling information - Hexachloroethane. OSHA - Occupational Safety & Health Administration, U.S. Department of Labor.

OSHA (2003). Health Guidelines - Hexachloroethane. OSHA - Occupational Safety & Health Administration, U.S. Department of Labor.

Owens EJ & Punte CL. (1963). Human respiratory and ocular irritation studies utilizing o-chlorobenzylidene malononitrile aerosols. Effect of particle size. Am Ind Hygiene Ass J Vol 24 pp 262-4.

Panush RS, Lane NE. (1994). Exercise and the musculoskeletal system. Bailliere's Clinical Rheumatology, Vol 8(1) pp 79-102.

Pare CMB, Sandler M (1954). Smoke bomb pneumonitis: description of a case. J R Army Med Corps, Vol 100:320.

Park S, & Giammona ST. (1972). Toxic effects of tear gas on an infant following prolonged exposure. Amer J Dis Child Vol 123 pp 245-6.

Park S, & Giammona ST. (1972). Toxic effects of tear gas on an infant following prolonged exposure. American Journal of Diseases of Children, Vol 123 pp 245-6.

Parneix-Spake A, Theisen A, Roujeau JC, Revuz J (1993). Severe cutaneous reactions to self-defence sprays. Arch Dermatol, Vol 129 p 913.

Patai S, Rappoport Z. Nucleophilic attacks on carbon-carbon double bonds. Part 11. Cleavage of arylmethylenemalononitriles by water in 95% ethanol. J Chem Soc 1962, 383-392.

Perera FP, Estabrook A, Hewer A, Channing K, Rundle A, Mooney LA, Whyatt R & Phillips DH. Carcinogen-DNA adducts in human breast tissue. Cancer Epidemiol Biomark Prev, Vol 4 pp 233-8. (1995).

Pettila V, Takkunen O, Tukiainen (2000). Zinc chloride smoke inhalation: a rare cause of severe acute respiratory distress syndrome. Intensive Care Medicine, 26(2) pp 215-7.

Phosphoric acid. Integrated risk information system from US environmental protection agency. Obtained from <http://toxnet.nlm.nih.gov/cgi-bin/sis/search/f?/temp/~AAANaWXB:1BASIC>

Phosphorus. Non-Human Toxicity Excerpts. Obtained from <http://toxnet.nlm.nih.gov/cgi-bin/sis/search/f?/temp/~AAA1zaGeB:1BASIC>

Pipkin C (1990). Does exposure to CS gas potentiate the severity of influenza? Journal of the Royal Naval Medical Service, Vol 76 pp 188-9.

Pitkin AD, Benton PJ and Broome JR (1999). Outcome after treatment of neurological decompression illness is predicted by a published clinical scoring system. Aviation, Space, and Environmental Medicine, 70(5) pp 517-521.

Pons M, Blickenstorter D, Oechslin E, Hold G, Greminger P, Franzeck UK, Russi EW. (1995). Pulmonary oedema in healthy persons during scuba-diving and swimming. *Eur Respir J* Vol 8 pp 762-7.

Porta M. (2001) Role of organochlorine compounds in the etiology of pancreatic cancer: a proposal to develop methodological standards. *Epidemiology*, Vol 12 pp 272-6.

Porter CD (1999). Football injuries. *Physical Medicine & Rehabilitation Clinics of North America* Vol 10(1) pp 95-115.

Porter LS, Astacio M and Sobong LC (1997). Telephone hotline assessment and counselling of suicidal military service veterans in the USA. *Journal of Advanced Nursing*, Vol 26 pp 716-722.

Powell KE, Fingerhut LA, Branche CM, Perrotta DM. (2000). Deaths due to injury in the military. *Am J Prev Med* Vol 18 (3S):26-32

Pullen FW 2nd (1992). Perilymphatic fistula induced by barotrauma. *American Journal of Otolaryngology*, 13(3) pp 270-2.

Punte CL, Owens EJ & Gutentag P, Arsenal E. (1963). Exposures to ortho-chlorobenzylidene malononitrile. Controlled human exposures. *Archives of Environmental Health*, Vol 6 pp 366-374.

Punte CL, Weimer JT, Ballard TA, & Wilding JL. (1962). Toxicologic studies on ortho-chlorobenzylidene malononitrile. *Toxicology & Applied Pharmacology*, Vol 4 pp 656-662.

Quinault W (1992). A study of the incidence of stress and anxiety related health problems among the dependants of RAF personnel during the Gulf War. *Nursing Practice*, 5(2) pp 12-23.

Rasmusson AM, Hauger RL, Morgan CA 111, Bremner JD, Charney DS, & Southwick SM. (2000). Low baseline and yohimbine-stimulated plasma neuropeptide Y (NPY) levels in combat-related PTSD. *Biological Psychiatry*, Vol 47 pp 526-539.

Reitveld EC, Delbressine LPC, Waegemaekers THJM, & Seutter-Berlage F. (1983). 2-chlorobenzylmercapturic acid, A metabolite of the riot control agent 2-chlorobenzylidene malononitrile (CS) in the rat. *Arch Toxicol* Vol 54 pp 139-44.

Rengstorff RH (1969) Tear gas and riot control agents: a review of eye effects. *Optom Week*, Vol 60 pp 25-8.

Rengstorff RH, Mershon MM (1971). CS in water: II. Effects on human eyes. *Military Medicine*, Vol 136 pp 149-51.

Rengstorff RH, Mershon MM. (1971). CS in trioctyl phosphate: effects on human eyes. *Military Medicine*, Vol 136 pp 152-3.

Report on Carcinogens, Tenth edition; U.S. Department of Health and Human Services, Public Health Service, National Toxicology Program, December 2002.

Report on Carcinogen, 9th Edition Carcinogen Profiles (2000). US Dept Health & Human Services, National Toxicology Program.

Research and Technology Organization (RTO) of NATO (2001). Operational Medical Issues in Hypo- and Hyperbaric Conditions; RTO meeting proceedings 62. Papers presented at the RTO Human Factors and Medicine Panel (HFM) Symposium held in Toronto, Canada, 16-19 October 2000.

Richie EC, Keppler WC, Rothberg JM. (2003). Suicidal admissions in the United States military. *Military Medicine* Vol 168(3) pp 177-181.

Riggs DS, Byrne CA, Weathers FW, & Litz BT. (1998). The quality of the intimate relationships of male Vietnam veterans: problems associated with posttraumatic stress disorder. *Journal of Traumatic Stress* Vol 11(1) pp 87-101.

Ritter C, Clayton RR, Vodd HL (1985). Vietnam military service and marijuana use. *Am J Drug Alcohol Abuse* Vol 11(1&2), pp 119-130.

Rodilla V, miles AT, Jenner W, Hawksworth GM (1998). Exposure of cultured human proximal tubular cells to cadmium, mercury, zinc and bismuth: toxicity and metallothionein induction. *Chemical-Biological Interactions*, 115(1) pp 71-83.

Rolf C. (1995). Overuse injuries of the lower extremity in runners. *Scand J Med Csi Sports* Vol 5 pp 181-190.

Rose C (2002)[FACT SHEET]. Fact Sheet on CS Gas from the Office of the Assistant Secretary of Defense (Health Affairs), Deployment Health Support Directorate.

Rosen LN,& Moghadam LZ. (1988). Social support, family separation, and well-being among military wives. *Behavioral Medicine*, Vol 14(2) pp 64-70.

Rossner P, Sram, RJ, Bavorova H, Ocadlikova D, Cerna M, Svandova E (1998). Spontaneous level of chromosomal aberrations in peripheral blood lymphocytes of control individuals of the Czech Republic population. *Toxicology Letters*, Vol 96,97 pp 137-142.

Roth VS, Franzblau A (1996)[LETTER]. RADS after exposure to a riot-control agent: a case report. *JOEM*, 38(9) pp 863-865.

Rothbbert S. US Clearinghouse Fed.Sci.Tech.Inform, AD-849672 (1969): Chemical Abstract,Vol 72(5) 130626 (1970) pp181-3.

Rothberg S. (1970). Skin sensitization potential of the riot control agents BBC, DM, CN and CS in guinea pigs. *Mil Med* Vol 135 pp 552-6.

Rothfuss A, Schutz P, Bochum T, Volm T, Eberhardt E, Kreienberg R, Vogel W, Speit G. (2000). Induced micronucleus frequencies in peripheral lymphocytes as a screening test for carriers of a BRCA1 mutation in breast cancer families. *Cancer Research* Vol 60 pp 390-4.

Russi EW (1998). Diving and the risk of barotrauma. *Thorax*, 53(Suppl 2, Aug) pp S20-4.

Sabo E (2003). Combat leaves soldiers 'drunk' with fatigue. *NewScientist.com*, 9/4/03.

Salassidis K, Schmid E & Bauchinger M. (1991). Mitotic spindle damage induced by 2-chlorobenzylidene malonitrile (CS) in V79 Chinese hamster cells examined by differential staining of the spindle apparatus and chromosomes. *Mutation Research*, Vol 262 pp 263-6.

Sanford JP. (1976). Medical aspects of riot control (harassing) agents. *Annual Review Medicine*, Vol 27 pp 421-9.

Santra M, Talukder G, Sharma A (2000). Comparison of chromosome damage induced by three zinc compounds using human leukocyte culture. *Biological Trace Element Research*, 78(1-3) pp 113-9.

Santucci B, Cannistraci C, Cristaudo A, Picardo M (1996). Nickel chloride/chlorides of divalent metal interactions in nickel-sensitive subjects. *Experimental Dermatology*, 5(5) pp 254-9.

Sawyer RG, Tribble CG, Newberg DS, Pruett TL and Minasi JS (1999). Intern call schedules and their relationship to sleep, operating room participation, stress, and satisfaction. *Surgery*, Vol 126 pp 337-342.

Saywell WR (1989). Submarine escape training, lung cysts and tension pneumothorax. *British Journal of Radiology*, 62(735) pp 276-8.

Schaeffer DJ, Kapila S, Meadows JE, Hinderberger E and Wentsel R (1988)[ABSTRACT ONLY]. Chemical characterization of residues from Military HC Smokepots. *Journal of Hazardous Materials*, 17(3) pp 315-328.

Schei E and Sogaard AJ (1994). The impact of military service on young men's smoking behavior. *Preventive Medicine*, Vol 23 pp 242-248.

Schenker MB, Speizer FE, Taylor JO (1981). Acute upper respiratory symptoms resulting from exposure to zinc chloride aerosol. *Environmental Research*, Vol 25 pp 317-24.

Schiermeier Q (2002). Hostage deaths put gas weapons in spotlight. *Nature*, Vol 420 p 7.

Schissel DJ, Barney DL, Keller R (1998). Cold weather injuries in an arctic environment. *Military Medicine*, 163(8) pp 568-71.

Schlenger WE, Caddell JM, Ebert L, Jordan BK, Rourke KM, Wilson D, Thalji L, Dennis JM, Fairbank JA and Kulka RA (2002). Psychological reactions to terrorist attacks: findings from the National Study of Americans' Reactions to September 11. *JAMA*, 288(5) pp 581-588.

Schmid E, Bauchinger M, Ziegler-Skylakakis K & Andrae U. (1989). 2-chlorobenzylidene malonitrile (CS) causes spindle disturbances in V79 Chinese hamster cells. *Mutation Research*, Vol 226 pp 133-6.

Schmid E, Bauchinger M. Analysis of the aneuploidy inducing capacity of 2-chlorobenzylidene malonitrile (CS) and metabolites in V79 Chinese hamster cells. *Mutagenesis* 1991; 6:303-5.

Schwartz RG. (1992). Cumulative trauma disorders. *Orthopedics* Vol 15(9) pp 1051-3.

Seedat S, La Grange H, Niehaus D, Stein DJ (2003). Stress and resilience in South African firefighters. *S Afr Med J* Vol 93(4) pp 236-8.

Seidenari S, Giusti F, Massone F, Mantovani L (2002). Sensitization to disperse dyes in a patch test population over a five-year period. *American Journal of Contact Dermatitis*, 13(3) pp 101-107.

Shannon M (1999)[LETTER]. Lead poisoning in adolescents who are competitive marksmen. *New England Journal of Medicine*, 341(11) p 852.

Sheikh K. (2000). Re-cigarette smoking and suicide: a prospective study of 300,000 male active-duty army soldiers'. *Am J Epidemiol* Vol 152(7) pp 691-2.

Sheridan MF, Hetherington HH, Hull JJ (1999). Inner ear barotrauma from scuba diving. *Ear, Nose & Throat Journal*, 78(3) pp 181-95.

Shields TG, Duff PM, Evans SA, Gemmell HG, et al (1997). Correlation between ^{99m}Tc-HMPAO-SPECT brain image and a history of decompression illness or extent of diving experience in commercial divers. *Occupational & Environmental Medicine*, 54(4) pp 247-53.

Shmunis E & Taylor JS. (1973). Industrial contact dermatitis. Effect of the riot control agent ortho-chlorobenzylidene malonitrile. *Archives of Dermatology*, Vol 107 pp 212-6.

Shumake SA, Sterner RT, Johns BE, Thompson RD, Bush F, Crane KA, Gaddis SE, Church GW, Jenny AL. (1992). Qualitative effects associated with red phosphorus smoke inhalation exposures in two wildlife species: prairie dogs and rock doves. (Abst Only).

Sicard B, Jouve E, Blin O (2001). Risk propensity assessment in military special operations. *Military Medicine*, 166(10) pp 871-4.

Sidell FR (1997). Riot control agents (chap 12) in Zajtchuk R (ed), Textbook of Military Medicine (part 1, Medical aspects of chemical and biological warfare), pp 307-324.

Singh GB, Khanna SK, Das M. (1990). Recent studies on toxicity of benzanthrone. J Sci & Ind Res (India) 49 (6) pp 288-296.

Slade JB, Hattori T, Ray CS, Bove AA, Cianci P (2001). Pulmonary edema associated with scuba diving. Case reports and review. Chest, 120(5) pp 1686-94.

Smerhovsky Z, Landa K, Rossner P, Brabec M, Zudova Z, Hola N, Pokorna Z, Mareckova J, Hurychova D (2001) Risk cancer in an occupationally exposed cohort with increased level of chromosomal aberrations. Environ Health Persp Vol 109 pp 41-5.

Smith GD, Phillips AN. (2001). Re"-cigarette smoking and suicide: a prospective study of 300,000 male active-duty army soldiers". American Journal of Epidemiology Vol 153(3) pp 307-8

Smith J, Greaves I (2002). The use of chemical incapacitant sprays: a review. Journal of Trauma - Injury, Infection, and Critical Care, 52(3) pp 595-600.

Smoak BL, Norton JP, Ferguson EW and Deuster PA (1990). Changes in lipoprotein profiles during intense military training. Journal of the American College of Nutrition, 9(6) pp 567-572.

Solvent Yellow 33. Obtained from <http://toxnet.nlm.nih.gov/cgi-bin/sis/search/f?./temp/~AAA9raiYo:1:FULL>

Sommer S & Wilkinson SM. (1999). Exposure-pattern dermatitis due to CS gas. Contact Dermatitis, Vol 40 pp 46-7.

Southward RD (2000)[LETTER]. CS incapacitant spray. Journal of Accident and Emergency Medicine, 17(1) p 76.

Southward RD (2001). Cutaneous burns from CS incapacitant spray. Medicine, Science and the Law, 41(1) pp 74-7.

Spellacy WN. (1999). Stress in residency. J Soc Gynecol Investig Vol 6(1) p 2

Spira A (1999). Diving and marine medicine review part II: diving diseases. Journal of Travel Medicine, 6(3) pp 180-98.

Spitz MR, Fueger JJ, Beddingfield NA, Annegers JF, et al (1989). Chromosome sensitivity to bleomycin-induced mutagenesis, an independent risk factor for upper aerodigestive tract cancers. Cancer Research, 49(16) pp 4626-8.

Spooner MH (2002)[LETTER]. Suicide claiming more British Kalkland veterans than fighting did. CMAJ, 166(11) p 1453.

- Stark M & Knight M. (1998). "Safety" of chemical batons. [Correspondence] *Lancet* Vol. 352 p. 1633.
- Stark MM (1998)[LETTER]. CS spray. *Journal of Accident and Emergency Medicine*, 15(4) p 288.
- Stein M, Hirshberg A (1999). Medical consequences of terrorism. The conventional weapon threat. *Surgical Clinics of North America*, 79(6) pp 1537-52.
- Steinhardt MA, Dolbier CL, Gottlieb NH, McCalister KT. (2003). The relationship between hardiness, supervisor support, group cohesion, and job stress as predictors of job satisfaction. *American Journal of Health Promotion*, Vol 17(6) pp 382-9.
- Stellman JM, Stellman SD, & Sommer JF. (1988). Social and behavioral consequences of the Vietnam experience among American legionnaires. *Environmental Research* Vol 47 pp129-149.
- Sterner RT, Shumake SA, Thompson RD, Johns BE. (1991). Behavioral-physiological effects of red phosphorus smoke inhalation on two wildlife species. Task 3. (RP aerosol effects upon the spontaneous activity, startle response, pulmonary function and blood chemistry/Hematology of black-tailed prairie dogs (*Cynomys ludovicianus*) and rock doves *Columba 1/Chemistry*. (Abst Only).
- Sternet RT. (1993). Whole-body exposures to a phosphoric acids aerosol:11. Food/water/weight effects in wild rodent and avian species. (Abst Only).
- Stoner GD. (1985). Bioassay of military relevant compounds for carcinogenic activity by the strain a mouse lung tumor bioassay. (Abstract Only).
- Straus MA, Gelles RJ. (1986). Societal change and change in family violence from 1975 to 1985 as revealed by two national surveys. *Journal of Marriage and the Family* Vol 48 pp 465-79.
- Striker GE, Streett CS, Ford DF, Herman LH & Hellend DR. US Clearinghouse Fed. Sci. Tech. Inform AD-808732 (1967): *Chemical Abstracts*, Vol 72 (9) 41120 (1970) p 215-6.
- Suck Y & Lee CW. (1991). Tear gas dermatitis. Allergic contact sensitization due to CS. *International J Dermatology* Vol 30 pp 576-7.
- Swerdlow AJ, Hermon C, Jacobs PA, Alberman E, et al (2001). Mortality and cancer incidence in persons with numerical sex chromosome abnormalities: a cohort study. *Annals of Human Genetics*, 65(Pt2) pp 177-88.
- Sylvia FR, Drake AI, Wester DC (2001). Transient vestibular balance dysfunction after primary blast injury. *Military Medicine*, 166(10) pp 918-20.
- Szabo RM, & King KJ. (2000). Repetitive stress injury: diagnosis or self-fulfilling prophecy? *Journal of Bone & Joint Surgery* Vol 82(9) pp 1314-1322.

Taylor GN (2000). Cases from the aerospace medicine residents' teaching file. Decompression sickness. *Aviation, Space, & Environmental Medicine*, 71(12) pp 1252-3.

Taylor GN (2000). Case Reports. *Aviation, Space, and Environmental Medicine*, 71(12) pp 1252-1253.

Terr LC. (1992). Resolved: Military family life is hazardous to the mental health of children. *J Am Acad Adolesc Psychiatry*, Vol 31(5) pp 984-7.

Testa A, Ranaldi R, Carpineto L, Pacchierotti F, Tirindelli D, Fabiani L, Giuliani AR, Urso M, Rossini A, Materazzo F, Petyx M, Leoni V (2002). Cytogenetic biomonitoring of workers from laboratories of clinical analyses occupationally exposed to chemicals. *Mutation Research*, Vol 520 pp 73-82.

Tetzlaff K, Friege L, Hutzelmann A, Reuter M, et al (1999). Magnetic resonance signal abnormalities and neurophysical deficits in elderly compressed-air divers. *European Neurology*, 42(4) pp 194-9.

The National Academy Press, Toxicity of military smokes and obscurants, Vol 2 (1999). [Http://books.nap.edu/books/0309063299/html/index.html](http://books.nap.edu/books/0309063299/html/index.html)

The National Academy Press. Toxicity of military smokes and obscurants, Vol 1. (1997). Taken from the internet. [Http://books.nap.edu/books/0309057361/html/index.html](http://books.nap.edu/books/0309057361/html/index.html)

The National Academy Press. Toxicity of military smokes and obscurants. Vol 3 (2000). [Http://www.nap.edu/openbook/0309065992/html](http://www.nap.edu/openbook/0309065992/html)

Thomas RJ, Smith PA, Rascona DA, Louthan JD, Gumpert B (2002). Acute pulmonary effects from o-chlorobenzylidenemalonitrile "tear gas": a unique exposure outcome unmasked by strenuous exercise after a military training event. *Military Medicine*, 167(2) pp 136-9.

Tlsty TD, Briot A, Gualberto A, Hall I, et al (1995). Genomic instability and cancer. *Mutation Research*, Vol 337 pp 1-7.

Todnem K, Nyland H, Kambestad BK, Aarli JA (1990). Influence of occupational diving upon the nervous system: an epidemiological study. *British Journal of Industrial Medicine*, Vol 47 pp 708-714.

Todnem K, Nyland H, Skeidsvoll H, Svihus R, et al (1991). Neurological long term consequences of deep diving. *British Journal of Industrial Medicine*, Vol 48 pp 258-66.

Trudeau DL, Anderson J, Hansen LM, Shagalov DN (1998). Findings of mild traumatic brain injury in combat veterans with PTSD and a history of blast concussion. *Journal of Neuropsychiatry and Clinical Neurosciences*, 10(3) pp 308-13.

Tucker J, Preston R (1996). Chromosome aberrations, micronuclei, aneuploidy, sister chromatid exchanges, and cancer risk assessment. *Mutation Research*, Vol 365 pp 147-59.

Tucker JD, Eastmond DA, Littlefield LG (1997). Cytogenetic end-points as biological dosimeters and predictors of risk in epidemiological studies. In Toniolo P, et al (eds), *Application of Biomarkers in Cancer Epidemiology*, pp185-200. IARC Scientific Publication No. 142.

Tumpowsky CM, Davis LK, Rabin R (2000). Elevated lead levels among adults in Massachusetts, 1991-1995. *Public Health Reports*, 115(4) pp 364-9.

2-Chlorobenzalmalononitrile. Obtained from <http://toxnet.nlm.nih.gov/cgi-bin/sis/search/f?./temp/~AAAqZaac4:7:BASIC>

Upshall DG. (1973). Effects of o-chlorobenzylidene malononitrile (CS) and the stress of aerosol inhalation upon rat and rabbit embryonic development. *Toxicology & Applied Pharmacology*, Vol 24 pp 45-9.

Ursano RJ, Holloway HC, Jones DR, Rodriguez AR, Belenky GL. (1989). Psychiatric care in the military community: family and military stressors. *Hospital & Community Psychiatry* Vol 40(12) pp 1284-9.

Uter W, Geier J, Lessmann H, Hausen BM (2001). Contact allergy to disperse Blue 106 and disperse Blue 124 in German and Austrian patients, 1995 to 1999. *Contact Dermatitis*, 44(3) pp 173-177.

Vaca FE, Myers JH, Langdorf M (1996). Delayed pulmonary edema and bronchospasm after accidental lacrimator exposure. *American Journal of Emergency Medicine*, 14(4) pp 402-5.

Vaernes RJ, Klove H, Ellertsen B (1989). Neuropsychological effects of saturation diving. *Undersea Biomedical Research*, 16(3) pp 233-51.

Vaernes RJ, Eidsvek S (1982). Central nervous dysfunctions after near-miss accidents in diving. *Aviation Space & Environmental Medicine*, 53(8) pp 803-7.

Van Hoof R, Dubois P, Leysen J, Francois R (1992). Predictability of the individual outcome of a physical training program of an Army special forces unit. *Military Medicine*, 157(4) pp 207-10.

Varma S, Holt PJA (2001). Severe cutaneous reaction to CS gas. *Clinical and Experimental Dermatology*, 26(3) pp 248-50.

von Daniken A, Friederich U, Lutz WK, & Schlatter C. (1981). Tests for mutagenicity in salmonella and covalent binding to DNA and protein in the rat of the riot control agent o-chlorobenzylidene malononitrile (CS). *Arch Toxic* Vol 49 pp 15-27.

- Waller SJ, Lyons JS and Costantini-Ferrando MF (1999). Impact of comorbid affective and alcohol use disorders on suicidal ideation and attempts. *Journal of Clinical Psychology*, 55(5) pp 585-595.
- Wallerstein C (1999). Christmas firework "sweets" kill hundreds of children. *British Medical Journal*, 319(7219) p 1222.
- Wang Y, Lee LKH, Poh S (1987). Phosgene poisoning from a smoke grenade. *European Journal of Respiratory Diseases*. Vol 70 pp 126-8.
- Weiner R (2002). Barodontalgia: caught between the clouds and the waves. *Journal of the Massachusetts Dental Society*, 51(3) pp 46-9.
- Weir DC, Robertson AS, Jones S, Burge PS (1989). Occupational asthma due to corrosive soldering fluxes containing zinc chloride and ammonium chloride. *Thorax*, 220-3.
- Weir E (2001). The health impact of crowd-control agents. *CMAJ*, 164(13) pp 1889-90.
- Weisaeth L. (2002). The European history of psychotraumatology. *Journal of Traumatic Stress*, Vol 15(6) pp 443-452.
- Weller EM, Kubbies M, & Nusse M. (1995). Induction of cell cycle perturbations by the tear gas 2-chlorobenzylidene malonitrile in synchronously and asynchronously proliferating mammalian cells. *Cytometry* Vol 19 pp 334-42.
- Wells JM (1998) Potential applications of differential permeability membrane the control of gas composition in closed circuit atmospheres. *Life Support Biosph Sci* Vol 5(3) pp 271-7
- Wheeler H, MacLehose R, Euripidou E & Murray V. (1998). Surveillance into crowd control agents. *Lancet* Vol. 352 pp. 991-2.
- Whitaker PH (1945). Radiological appearances of the chest following partial asphyxiation by a smoke screen. *British Journal of Radiology*, Vol 18 pp 396-7.
- White phosphorus. Obtained from http://toxnet.nlm.nih.gov/cgi-bin/sis/search/f?/temp/~AAAU_a4LS:1:BASIC
- White SA, Narula AA (1996). A complication of indoor pistol shooting. *Journal of Laryngology and Otology*, 110(7) pp 663-4.
- Wightman JM, Gladish SL (2001). Explosions and blast injuries. *Annals of Emergency Medicine*, 37(6) pp 664-78.
- Wild D, Eckhardt K, Harnash D, & King M-T. (1983). Genotoxicity study of CS (ortho-chlorobenzylidene malonitrile) in salmonella, drosophila, and mice. Failure to detect mutagenic effects. *Arch Toxicol* Vol 54 pp 167-70.

- Wilhelm B, Walther UI, Fichtl B (2001). Effects of zinc chloride on glutathione and glutathione synthesis rates in various lung cell lines. *Archives of Toxicology*, 75(7) pp 388-94.
- Williams JO, Bell NS and Amoroso PJ (2002). Drinking and other risk taking behaviors of enlisted male soldiers in the US Army. *Work*, Vol 18 pp 141-150.
- Willoughby CF. (1998). Letter: Respond to Mr Leyland's letter concerning the experience of other ophthalmic units with CS gas ocular injury. *Eye* Vol 12 p 164.
- Wilmshurst PT, O'Doherty MJ, Nunan TO (1993). Cerebral perfusion deficits in divers with neurological decompression illness. *Nuclear Medicine Communications*, 14(2) pp 117-20.
- Wirjosemito SA, Touhey JE, Workman WT (1989). Type II altitude decompression sickness (DCS): U.S. Air Force experience with 133 cases. *Aviation Space & Environmental Medicine*, 60(3) pp 256-62.
- Wong A, Escobar M, Lesage A, Loyer M, Vanier C and Sakinofsky I (2001). Are UN Peacekeepers at risk for suicide? *Suicide and Life-threatening Behavior*, 31(1) pp 103-112.
- Worthington E, Nee PA (1999). CS exposure - clinical effects and management. *Journal of Accident and Emergency Medicine*, Vol 16 pp 168-70.
- Xenakis SN. (1993). Debate: the effects of military life on children. *J Am.Aad.Child Adolesc.Psychiatry*, Vol 32(3) pp 685-6.
- Xiong P, Bondy ML, Li D, Shen H, et al (2001). Sensitivity to benzo(a)pyrene diol-epoxide associated with risk of breast cancer in young women and modulation by glutathione s-transferase polymorphisms: a case-control study. *Cancer Research*, 61(23) pp 84
- Yehuda R. (2002). Post-traumatic stress disorders. *NEJM* Vol 346(2) pp 108-114.
- Yih JP. (1995). CS gas injury to the eye. Blowing dry air to the eye is preferable to irrigation. *BMJ* Vol 311 p 276.
- Yurkow EJ, DeCoste CJ (1999). Effects of cadmium on metallothionein levels in human peripheral blood leukocytes: a comparison with zinc. *Journal of Toxicology and Environmental Health, Part A*, 58(5) pp 313-27.
- Zeff KN, Lewis SJ, Hirsh KA. (1997). Military family adaptation to United Nations operations in Somalia. *Military Medicine*, Vol 162 pp 384-7.
- Zeiger E, Anderson B, Haworth S, Lawlor T, et al (1987). Salmonella mutagenicity tests, III: results from the testing of 225 chemicals. *Environmental and Molecular Mutagenesis*, Vol 9(suppl 9) pp 1-109.

Zekri AMB, King WWK, Yeung R, Taylor WRJ (1995). Acute mass burns caused by o-chlorobenzylidene malonitrile (CS) tear gas. *Burns*, 21(8) pp 586-9.

Zerahn B, Kofoed-Enevoldsen A, Jensen BV, Mølviig J (1999). Pulmonary damage after modest exposure to zinc chloride smoke. *Respiratory Medicine*, 93(12) pp885-90.

Zhu Y, Spitz MR, Zheng Y-L, Hong WK, Wu X (2002). BPE-induced lymphocytic 3p21.3 aberrations may predict head and neck carcinoma risk. *Cancer* 95(3) pp 563-8.

Ziegler-Skylakakis K, Summer KH, & Andrae U. (1989). Mutagenicity and cytotoxicity of 2-chlorobenzylidene malonitrile (CS) and metabolites in V79 Chinese hamster cells. *Arch Toxicol* Vol 63 pp 314-9.

Zou E (1997). Effects of sublethal exposure to zinc chloride on the reproduction of the water flea, *Moina irritans* (Cladocera). *Bulletin of Environmental Contamination and Toxicology*, 58(3) pp 437-41.